

1-800-562-7760

(314) 447-2100

www.coastalbusiness.com

COASTAL[®]
BUSINESS SUPPLIES
Inc.

Cold Peel Inkjet Transfer Paper

for **Light Colors**

Before you begin

Use product in well-ventilated area. Keep product out of high humidity and away from moisture. Store in a cool, dry place. Use cotton or poly/cotton fabrics. Inkjet printers only. No laser printers. Best if used on 100% cotton or cotton/poly blend.

Printing Instructions

1. Preparing Image

-Make sure to select the proper media setting from print menu; check your printer manual for additional printing instructions.

-Print design on the paper with the correct orientation. (MIRROR/REVERSE the image.) This can be done with the printer's property panel. For additional information, see your printer's instruction manual.

-Print the image on the blank side of the transfer paper. (Not the side with the lines.)

-Check printer settings; single-sheet feeding is recommended.

2. Cut-out Design

-For best results, trim the image before applying to garment.

Transferring Instructions

1. Preparing for Transfer:

Heat Press Application

-Prepare heat press at 350-375 degrees F.

-Place heat transfer paper with image facing down in desired position on fabric.

-Using above recommended temperature, **apply firm pressure for 12-18 seconds.**

Hand Iron Application

-Iron on a hard surface, NOT an ironing board. Place a pillow case or T-shirt between your hard surface and your garment to allow the heat to penetrate the transfer paper.

-Adjust iron at highest setting. **Don't Steam.**

-Place transfer paper with image facing down in desired position on fabric.

-Step press, with firm pressure, slowly along each side of the image. Hold each press for 45 sec. until entire image has been pressed.

Total ironing time should be 5-6 min. for 8.5" x 11" size image.

2. Cold Peel & Wear

-Allow fabric to **cool completely**, then smoothly and evenly peel away paper.

Before Washing

Leave finish item for at least 24 hours before wash. Wash inside out in cold water. Dry at normal heat settings. Do not use bleach. Do not iron over transfer.

IMPORTANT: We thoroughly test each of our products on various substrates using different transfer equipment. However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the Seller's and Manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the Seller nor the Manufacturer shall be liable for injury, direct or consequential, arising out of the use of, or inability to use the paper.