

Glo-Jo

Inkjet Transfer Paper for **Light Colors** and **Dark Colors**

Before you begin

Use product in well-ventilated area. Keep product out of high humidity and away from moisture. Store in a cool, dry place. Use cotton or poly/cotton fabrics. Inkjet printers only.

No laser printers. Best if used on 100% cotton or cotton/poly blend.

Printing Instructions

1. Preparing Image

-Keep in mind that anything white in your image will glow. So the more white, the better.

-Print image on the paper with the correct orientation. (Do not mirror image.)

-Print the image on the coated side of the transfer paper.

-Feed transfer paper short dimensions first (grain long) into the printer.

2. Cut-out Design

-Do not leave a margin around edge of the the image. (Cut along image edge.)
Leaving a margin around the image will result in a white border along image.

3. Peel off Grid Backing Paper

-This is done by slightly tearing backing paper from edge of paper and gently peeling it away.

Transferring Instructions

1. Preparing for Transfer:

Heat Press Application

-Place heat transfer paper with image facing upwards in desired position on fabric.

-Cover image with silicone paper. To achieve a glossy finish, use a teflon cover.

-Press at 350 degrees F while using
apply medium pressure for 12-15 seconds.

Preparing for Transfer:

Hand Iron Application (t-shirts & lightweight fabrics)

-Iron on a hard surface, NOT an ironing board. Place a pillow case or T-shirt between your hard surface and your garment..

-Adjust iron at highest setting. **Don't Steam.**

-Place heat transfer paper with image facing upward in desired position on fabric

-Cover image with silicone paper.

-Step press, with firm pressure, slowly along each side of the image. Hold each press for 45 sec. until entire image has been pressed.

Total ironing time should be 2 min. for 8.5" x 11" size image.

2. Peel & Wear

-Allow fabric to **cool completely**, then smoothly and evenly peel away overlay paper.

Before Washing

Leave finish item for at least 24 hours before wash. Wash inside out in cold water. Dry at normal heat settings. Do not use bleach, fabric softener, or harsh detergents. Do not iron directly over transfer.

IMPORTANT: We thoroughly test each of our products on various substrates using different transfer equipment. However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the Seller's and Manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the Seller nor the Manufacturer shall be liable for injury, direct or consequential, arising out of the use of, or inability to use the paper.