

1-800-562-7760  
(314) 447-2100  
www.coastalbusiness.com

COASTAL<sup>®</sup>  
BUSINESS SUPPLIES  
Inc.

# ImageClip Konzert T's Laser Transfer Paper

for **Dark Colors**

## Before you begin

Designed for use in most newer technology oil and oil-less laser printers and copiers. No InkJet printers.

Store paper in a cool, dry area and do not remove from bag until you are ready to use. For use on t-shirts, mousepads, leather articles, art papers.

Works best on cotton, 50/50 cotton blends, polyester and fabrics that have a tight weave.

## Printing Instructions

### 1. Preparing Image

-All text and images should be in dark tones. Check printer settings; Use heavy paper mode to ensure fusing of the toners.

-MIRROR/REVERSE the image. This can be done within the printer's property panel. For additional information, see your printer's instruction manual.

-Laser print the coated side of the paper identified as the Imaging sheet. This sheet will have a blue grid background.

-ImageClip Konzert T's Image sheet should be fed into the copier or printer with the short dimension first (grain long). For best fusing results, use a heavy paper setting.

### 2. No Need to Trim

-There is no need to trim image. ImageClip is self weeding which automatically eliminates the background plastic polymer.

## Transferring Instructions

### 1. Preparing Paper Before Transfer: Heat Press Application

-Prepare heat press at 250 degrees F.

-Marry the imaged sheet to the transfer sheet. This will apply the transfer coating to the imaged area.

-Press for 20 seconds at 250 degrees using medium pressure. Separate papers while still hot.

### 2. Transferring Image to Fabric: Heat Press Application

-Preheat the press to 375 degrees F.

-Place the imaged sheet face down onto the shirt or other substrate.

-Press for 25 seconds at 375 degrees using heavy pressure.

### 3. Peel & Wear

-Cool before peeling. If desired, stretch immediately after peeling.

---

#### Before Washing

Turn garment inside out and wash in cold water using a mild detergent. Do not use bleach. Dry on low heat setting. Do not iron directly over transferred area.

**Produce photo-quality transfers  
with your laser printer or copier!**

**IMPORTANT:** We thoroughly test each of our products on various substrates using different transfer equipment. However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the Seller's and Manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the Seller nor the Manufacturer shall be liable for injury, direct or consequential, arising out of the use of, or inability to use the paper.