

1-800-562-7760
(314) 447-2100
www.coastalbusiness.com

COASTAL[®]
BUSINESS SUPPLIES
Inc.

Laser Dark 2 Laser Transfer Paper

for **Dark Colors**

Before you begin

Designed for use in most laser copiers and printers. No InkJet printers. For use on all colored fabrics made of cotton, cotton blend and synthetic fabrics. Keep paper in bag between uses.

Printing Instructions

1. Preparing Image

- Set printer to heavy paper mode.
- Do NOT Mirror/Reverse the image.
- Print the image on the coated, rough side of the transfer paper.
- Paper should be fed into copier/printer with the short dimension first. (grain long) using the bypass tray.
- Single-sheet feeding recommended.
- Increase color brightness when printing.

2. Cut-out Design

- For best results trim away the unprinted paper around image.
- Using an image with rounded corners will help prevent corner liftoff after washing.

**Produce photo-quality transfers
with your laser printer or copier!**

Transferring Instructions

1. Pressing Transfer:

Heat Press Application

- Prepare heat press at 255 degrees F.
- Position fabric on press.
- Do NOT pre-press.
- Remove paper backing from image transfer.
- Place heat transfer paper with image facing UP in desired position on fabric.
- Cover imaged transfer with silicon paper. For a glossy finish, use teflon cover.
- Using above recommended temperature, apply medium pressure for 10-15 seconds. (Reduce time if using Dazzle-Trans with application.)

2. Peel & Wear

- Allow silicon sheet to cool completely. Then remove from garment.

Before Washing

Turn garment inside out and wash in cold water using mild detergent. Do not use bleach. Hang dry. Do not iron directly over transferred area. Turn inside out and iron the image from the back.

IMPORTANT: We thoroughly test each of our products on various substrates using different transfer equipment. However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the Seller's and Manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the Seller nor the Manufacturer shall be liable for injury, direct or consequential, arising out of the use of, or inability to use the paper.