

1-800-562-7760
(314) 447-2100
www.coastalbusiness.com

COASTAL[®]
BUSINESS SUPPLIES
Inc.

Techni-Print Laser Transfer Paper

for *Light Colors*

Before you begin

Techni-Print Papers are designed for most newer technology oil and oil-less laser printers and copiers. No InkJet printers. Store product in a cool, dry area and do not remove from bag until you are ready to use. Best on light colored 100% cotton, 50/50 cotton/poly blends or 100% polyester.

Printing Instructions

1. Preparing Image

-Check printer settings; Start with plain paper mode. If toner does not fuse completely or you get lines in your print, adjust your setting to a heavier paper mode like heavy or transparency.

-Print design on the paper with the correct orientation. (MIRROR/REVERSE the image.) This can be done within the printer's property panel. For additional information, see your printer's instruction manual.

-Print the image on the blank side of the transfer paper. (Not the side with the text.)

-Paper should be fed into the printer short dimensions first. (grain long)

2. Cut-out Design

-For best results trim the image before applying to garment.

-Using an image with rounded corners will help prevent corner liftoff after washing.

Transferring Instructions

1. Preparing for Transfer:

Heat Press Application (REQUIRED)

-Prepare heat press at 375 degrees F.

-Press fabric first to ensure flatness and to remove any moisture; remove and let cool.

-Replace fabric on press.

-Place heat transfer paper with image facing down in desired position on fabric.

-Using above recommended temperature, apply firm pressure (60 PSI or greater) for 30 seconds.

2. Peel & Wear

-Hot peel. Peel the transfer immediately after pressing. (Caution, transfer will be hot.)

Note

Instructions are for transferring onto shirts, mousepads, coasters, puzzles, handbags, paper, leather, wood veneer, nylon, and more. Choose garments with a tight weave. This is particularly important when transferring to sweatshirts.

Before You Wash

Turn garment inside out and wash in cold water using mild detergent. Do not use bleach. Dry on low heat setting. Do not iron directly on the transferred area.

IMPORTANT: We thoroughly test each of our products on various substrates using different transfer equipment. However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the Seller's and Manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the Seller nor the Manufacturer shall be liable for injury, direct or consequential, arising out of the use of, or inability to use the paper.