

Product Datasheet



FOLAJET VINYL/SA-P

Self adhesive vinyl film, mat-white, for indoor / outdoor applications

Permanently adhesive vinyl films with a mat-white surface. The coating excels through its very good water and wet scrub resistance, making it especially suitable for outdoor applications. The high formability of the material gives it optimum properties for moulding around curves and surfaces.



Characteristic

- Suitable for Thermal printers
- Suitable for Piezo printers
- Suitable for Pigment Ink which offers improved light
- Suitable for Dye Ink
- Instant dry coating
- Improved water resistance
- Brilliant colour prints
- Good cutting and adhesive properties
- High resolution
- Weather proof prints
- Excellent outstanding durability of the prints when using pigmented inks
- Permanent adhesive on the back
- Film can be peeled off using hot air, without leaving adhesive residues

Finish

- Matt white Surface

Specifications

- | | |
|---------------------|--|
| • Coating frontside | For Ink Jet |
| • Print side | Matt White side |
| • Back side | Self adhesive with paper release liner |
| • Base material | Vinyl |

Compatibility

- Useable on most large-format Ink Jet printers using Pigmented ink systems. Limited suitability with when using dye inks.
- Not compatible with oil and solvent based systems.

Handling

- Please observe the specifications for your printer and the RIP software.
- A preconditioning period of 24 hours within the printing environment is recommended.
- Ink Load: approx. 250 - 290 % (may vary according to ink system).
- Between 15-30°C and 30-70% r.h.
- Printer set-up: vinyl, coated paper, or similar
- Printing quality: "best", "high", or similar
- The good water resistance of the material makes it suitable for outdoor applications without the need for lamination. For a high durability where abrasion and dirt are likely, we recommend using a protective laminate. The weather resistance (light, moisture) of the prints primarily depends on the properties of the ink applied.
- Avoid fingerprints on printing side.

Storage

- Store in a cool and dry place
- Shelf life min. 1 year after delivery (under recommended storage conditions).

