

New Motif Laser Transfer Paper

for **Light Colors**

Printing Instructions

1. Preparing Image

- Check printer settings; start with plain paper mode, then change to a heavier mode if needed.
- Print image on the paper with the correct orientation. (MIRROR/REVERSE the image.) This can be done within the printer's property panel. For additional information, see your printer's instruction manual.
- Single sheet feeding is recommended.
- For darker images, reduce toner levels and lighten exposure level for a more accurate image.

Recommended for use in the following machines:

Canon - 200,300,350,500,550,700,800, & 1000
Kodak - 1525,1525 plus,1550,1550 plus,1560,1565
Minolta - CF70,CF80, CF900
Mita - 7500
Scitex - Spontane
Ricoh - NC5006,5106,5206,8115,305,2003,2103,2203
Xerox - Majestik, Regal, Empress, DocuColor 40
Sharp - AR-C860, AR-C861/862
Toshiba - FC-70
Savin - SDC206/206E

2. Cut-out Design

- For best results trim around the image.

Before you begin

Works in most color laser printers and copiers with fuser oil.
Keep paper out of high humidity and away from moisture.
Recommended for use on cotton and poly/cotton blends.

Transferring Instructions

1. Preparing for Transfer: Heat Press Application

- Prepare heat press at 365-375 degrees F.
- Pre-press garment for 5 seconds to remove moisture.

Press at the temperature above for:

- 12 - 15 seconds for T-Shirts
- 15 - 20 seconds for Sweatshirts
- 5 - 7 seconds for Mousepads
- 10 seconds for Calendars



2. Peel & Wear

- Hot peel. If transferring on a t-shirt, peel the transfer immediately after pressing. For softest hand, stretch transfer while still hot.

Before Washing

Leave finish item for at least 24 hours before wash.
Wash inside out in cold water. Dry at normal heat settings. Do not use bleach, fabric softener, or harsh detergents. Do not iron directly over transfer.

IMPORTANT: We thoroughly test each of our products on various substrates using different transfer equipment. However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the Seller's and Manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the Seller nor the Manufacturer shall be liable for injury, direct or consequential, arising out of the use of, or inability to use the paper.